



MATERIAL SAFETY DATA SHEET

PRODUCT: AFFIX -OX

Section: 1. Identification of the substance /Preparation and company

Chemical Identity

Polyvinyl Acetate Emulsion Polymer

Manufacturer /Product by

Polygon Chemicals Pvt Limited 215, Satra Plaza, Plot No.20, Sector 19D Vashi, Navi Mumbai-4000705 Telephone no.:022-27832882/27832884 Fax -022-27832890 info@polygonchemicals.com www.polygonchemicals.com

Product CodeAFFIX -OXProduct typeWood AdhesiveEmergency Telephone022- 27832882

Hazardous ingredients

Contains no hazardous ingredients

Section-2. Composition/Information on Ingredients

Polyvinyl Acetate 40 TO 45 % Water 55 TO 60 %

Section -3. Hazardous Identification

Free monomer as Vam less than 0.5% on total weight

Section –4. First Aid Measurers

Inhalation headache, dizziness

Ingestion irritation of alimentary canal

Eyes irritation Skin irritation

First aid

Inhalation move to fresh air

Ingestion do not induce vomiting, obtain medical attention
Eyes immediately wash with plenty of clean water

Skin wash thoroughly with water and soap

Advice to Physicians treat symptomatically

HEAD OFFICE: 215, SATRA PLAZA, PLOT NO. 20, SECTOR 19D, VASHI, NAVI MUMBAI 400 705. MAHARASTHRA, INDIA (TEL: 022)2783 2884/2783 2882







MATERIAL SAFETY DATA SHEET

Section –5. Fire Fighting Measures

Extinguishing Media Non-Combustible

Special exposure hazards None

Thermal decomposition Noxious fumes

Protective equipment's self-contained breathing apparatus

Section -6. Accidental Release Measures

Spillage Confine area of spillage

Absorb with dry sand, saw dust or other inert

Material

Transfer to container for disposal

Protective equipment Glasses and rubber gloves

Section-7. Handling and Storage

Storage Indoor/outdoor. Avoid direct sun light

Section-8. Exposure Control/ Protection

Exposure control None established

Personal Protection Hand Gloves, face masks

Respiratory protection Avoid inhalation of vapors, use adequate

Respiratory equipment's

Eye/Face Protection Safety eye wear against splashing

Skin /hand Protection Wear rubber or synthetic gloves. Prevent contact

With contaminated clothing

Section-9 Physical and chemical Composition

Appearance Milky white Emulsion/ Paste

Odor Mild pH 4-6 Boiling Point 100°C

Flash Point Not Applicable Specific gravity 1.05-1.08 Viscosity in Poise at RT 180-250 Poise.

Solubility in water Dilutable at as desired

Section-10 Stability and Reactivity

Stability Stable

Section-11 Toxicological Information

Acute toxicity

Rat oral >5g/ KG

Irritation

Skin Not an irritant Eyes Not an irritant

Sensitization

HEAD OFFICE: 215, SATRA PLAZA, PLOT NO. 20, SECTOR 19D, VASHI, NAVI MUMBAI 400 705. MAHARASTHRA, INDIA (TEL: 022)2783 2884/2783 2882







MATERIAL SAFETY DATA SHEET

Skin Not a sensitizer Respiratory Not a sensitizer

Section-12 Ecological Information

Ecotoxicity Expected to show insignificant toxicity to aquatic organisms
Fate Expected to be not inherently biodegradable but to have

Low potential to bioaccumulation

Section-13 Disposal Consideration

Disposal to incinerator or use it in road construction site

Section-14 Transport Consideration

International: -

Land Transport: ADR/RID/GGVS/GGVE: Not RegulatedSea Transport: IMDG/GGV See UN.NO: Not RegulatedAir Transport: ICAO / IATAUN/ID.NO: Not RegulatedU.S: D.O.T classification: Not RegulatedCANADA: Transport of dangerous goods: Not Regulated

Section-15 Regulatory Information Title III Hazard Classification

Sections 311,312

Acute :NO
Chronic :NO
Fire :NO
Reactivity :NO
Pressure :NO
Toxic Chemical : NO

Section-16 Other information

Uses As an adhesive in wood working and furniture segment

Technical Contact point Tel:(022) 27832882 Fax :022-27832890

Disclaimer

The information contained in this data sheet is best of knowledge true and accurate but any recommendation or suggestion. which may be made are without guarantee since the condition of use are beyond our control. Furthermore, nothing contained here in shall be construed as a recommendation to use in any product in conflict with existing patent covering any material or its use.

HEAD OFFICE: 215, SATRA PLAZA, PLOT NO. 20, SECTOR 19D, VASHI, NAVI MUMBAI 400 705. MAHARASTHRA, INDIA (TEL: 022)2783 2884/2783 2882

